UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/663,665	09/15/2000	Gregory L. Slaughter	5181-47300 2188		
759	90 05/08/2006		EXAMINER		
Robert C Kow	ert		ZHEN	, LI B	
Conley Rose & Tayon P C P O Box 398			ART UNIT	PAPER NUMBER	
Austin, TX 78	767-0398		2194	2194	
			DATE MAILED: 05/08/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		09/663,665	SLAUGHTER ET AL.			
		Examiner	Art Unit			
	•					
	The MAILING DATE of this communication app	Li B. Zhen	2194			
Period fo		our die oorer sneet mar die o	orrespondense dadress			
WHIC - Exte after - if NC - Failu Any	CHEVER IS LONGER, FROM THE MAILING DAMAGE IS LONGER, FROM THE MAILING DAMAGE IS LONGER, FROM THE MAILING DAMAGE IS IN COUNTY OF THE MAILING DAMAGE IS IN COUNTY OF THE MAILING	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tirr will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status						
1)⊠	Responsive to communication(s) filed on <u>06 Fe</u>	ebruary 2006.				
2a) <u></u> ☐	This action is FINAL . 2b)⊠ This	action is non-final.				
3)□	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 45	i3 O.G. 213.			
Dispositi	ion of Claims					
4)⊠	4)⊠ Claim(s) <u>1,3-22,24-43 and 45-53</u> is/are pending in the application.					
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5)	Claim(s) is/are allowed.					
6)⊠	6)⊠ Claim(s) <u>1,3-22,24-43 and 45-53</u> is/are rejected.					
7)	Claim(s) is/are objected to.					
8)□	Claim(s) are subject to restriction and/or	r election requirement.				
Applicati	ion Papers					
	The specification is objected to by the Examine	r				
•	The drawing(s) filed on is/are: a) acce		- - - - - - - -			
. • / 🗀	Applicant may not request that any objection to the					
	Replacement drawing sheet(s) including the correct					
11)	The oath or declaration is objected to by the Ex		• •			
Priority u	under 35 U.S.C. § 119					
_	Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	-(d) or (f).			
	a) ☐ All b) ☐ Some * c) ☐ None of:					
•	1. Certified copies of the priority documents have been received.					
	2. Certified copies of the priority documents have been received in Application No					
	3. Copies of the certified copies of the prior	rity documents have been receive	ed in this National Stage			
	application from the International Bureau	* ***				
* S	See the attached detailed Office action for a list	of the certified copies not receive	d.			
			CON			
		WILLIAM THOM	C EXAMINER			
Attachmen	t(s)	WILLIAM THOM SUPERVISORY PATEN	•			
_	ce of References Cited (PTO-892)	4) Interview Summary				
2) 🔲 Notic	ce of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	ite			
	mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) or No(s)/Mail Date	5) Notice of Informal P. 6) Other:	atent Application (PTO-152)			

Application/Control Number: 09/663,665

Art Unit: 2194

DETAILED ACTION

Page 2

1. Claims 1, 3-22, 24-43 and 45-53 are pending in the current application.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1, 6-12, 16-22, 27-34, 40-43, 45-49 and 51-53 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,851,089 to Erickson et al. [hereinafter Erickson] in view of U.S. Patent No. 6,782,425 to Germscheid et al. [hereinafter Germscheid, both references cited in the previous office action].
- 4. As to claim 1, Erickson teaches the invention substantially as claim including a method for the exchange of objects in a distributed computing environment [col. 25, line 57 col. 26, line 14], comprising:

user accessing a client device [col. 7, lines 1 – 16]; and

generating a computer programming language object from a data representation language representation of the object [a wrapper file has been created and stored, the wrapper file can be read by a wrapper builder application and deserialized, by known methods, to reproduce the objects that the wrapper comprises; col. 26, lines 20 – 30], wherein the object is an instance of a class in the computer programming language [wrapper builder application employs serialization to encode an internal object representation of a wrapper into XML format; col. 26, lines 16 - 20], and wherein the object is accessible for use during the accessing the client device [wrapper serialization component 1170 provides for the storage and retrieval of wrappers in XML (Extensible Markup Language) through the process of Object Serialization; col. 25, line 59 - col. 26, line 13], and the client device receiving a message [XML data can be saved as a

Art Unit: 2194

wrapper file; col. 26, lines 15-20] in the data representation language [wrapper serialization component 1170 implements the functionality by which wrappers are stored and retrieved, called serialization; col. 20, lines 22-48] from a service device in the distributed computing environment prior to the generating a computer programming language object [Serialization is used for lightweight persistence and for communication via sockets or Remote Method Invocation (RMI); col. 26, lines 3-16], wherein the message includes the data representation language representation of the object [XML format; col. 26, lines 15 – 20].

5. Although Erickson teaches the invention substantially as claimed, Erickson does not teach deleting the computer programming language object in response to the terminating access.

However, Germscheid teaches secure access to sensitive data [col. 4, lines 42 – 53] and deleting a computer programming language object in response to the terminating access [termination of session; col. 16, lines 1 – 6] so that the deleted object is not accessible by subsequent users of the client device [deletes the CCISession object which provides the secure access; col. 16, lines 1 – 6].

- 6. It would have been obvious to a person of ordinarily skilled in the art at the time of the invention to apply the teaching of deleting the computer programming language object in response to the terminating access as taught by Germscheid to the invention of Erickson because this would prevent unauthorized access to the object [col. 16, lines 4-5 of Germscheid] and deallocates the storage for the object after the user has finished accessing the object.
- 7. As to claim 6, Erickson as modified teaches generating a computer programming language object from a data representation language representation of the object is performed by a virtual machine executing within the client device [col. 25, lines 58 67 of Erickson; examiner notes that a virtual machine is inherent to the Java environment].
- 8. As to claim 7, Erickson as modified teaches generating a plurality of computer programming language objects from data representation language representations of

Art Unit: 2194

the objects [col. 25, line 59 - col. 26, line 13 of Erickson], and deleting the plurality of computer programming language objects in response to the terminating access [col. 16, lines 1 – 6 of Germscheid].

- 9. As to claim 8, Erickson as modified teaches the data representation language is extensible Markup Language (XML) [XML; col. 25, line 59 col. 26, line 13 of Erickson].
- 10. As to claim 9, Erickson as modified teaches the computer programming language is the Java programming language [col. 25, line 59 col. 26, line 13 of Erickson].
- 11. As to claim 10, Erickson as modified teaches a method for the secure exchange of objects in a distributed computing environment [col. 25, line 57 col. 26, line 14 of Erickson], comprising:

a user accessing a client device [col. 7, lines 1 – 16 of Erickson];

the client device receiving a message in a data representation language from a service device in the distributed computing environment [col. 16, lines 1 – 30 of Erickson], wherein the message includes a data representation language representation of an object [XML format; col. 26, lines 15 – 20 of Erickson];

if the determining, determines the user has access rights to the computer programming language object [col. 15, lines 38 – 48 of Germscheid], generating the object from the data representation language representation of the object [a wrapper file has been created and stored, the wrapper file can be read by a wrapper builder application and deserialized, by known methods, to reproduce the objects that the wrapper comprises; col. 26, lines 20 – 30 of Erickson], wherein the object is an instance of a class in the computer programming language [wrapper builder application employs serialization to encode an internal object representation of a wrapper into XML format; col. 26, lines 16 – 20 of Erickson], and wherein the object is accessible for use during the accessing the client device [col. 25, line 59 - col. 26, line 13 of Erickson]; and

Art Unit: 2194

if the determining determines the user does not have access rights to the computer programming language object, not generating the object [col. 8, lines 4 – 11 of Germscheid].

- 12. As to claim 11, Erickson as modified teaches the message further includes access information for the computer programming language object, wherein the determining if the user has access rights to the computer programming language object uses the access information [col. 7, lines 38 50 and col. 7, line 60 col. 8, line 21 of Germscheid].
- 13. As to claim 12, Erickson as modified teaches deleting the computer programming language object in response to the user terminating access to the client device, wherein the deleted object is not accessible for use by subsequent users of the client device [col. 16, lines 1 6 of Germscheid].
- 14. As to claim 16, Erickson as modified teaches the user terminating the accessing the client device and storing the computer programming language object in response to the terminating access [wrapper file has been created and stored; col. 26, lines 21 30 of Erickson].
- 15. As to claim 17, Erickson as modified teaches the user accessing the client device subsequent to the storing the object and accessing the stored object during the accessing the client device [col. 26, lines 21 30 of Erickson].
- 16. As to claim 18, Erickson as modified teaches storing access rights information of the user with the object, wherein the accessing the stored object comprises verifying the access rights of the user with the stored access rights information [col. 7, line 60 col. 8, line 3 of Germscheid].

Art Unit: 2194

17. As to claims 19 – 21, they are rejected for the same reasons as claims 6, 8 and 9 above.

- 18. As to claim 22, this is an apparatus claim that corresponds to method claim 1; note the rejection to claim 1 above, which also meet this apparatus claim.
- 19. As to claim 27, this is rejected for the same reason as claim 7 above.
- 20. As to claim 28, Erickson as modified teaches a processor, a memory [host computer 1404; col. 26, lines 58 67 of Erickson], and a virtual machine executed by the processor from the memory, wherein the generating is performed by the virtual machine [col. 25, lines 58 67 of Erickson; examiner notes that a virtual machine is inherent to the Java environment].
- 21. As to claim 29, Erickson as modified teaches the accepting, the terminating, and the deleting are performed by the virtual machine [col. 25, lines 58 67 of Erickson], wherein the object is stored in the memory subsequent to the generating, and wherein, in the deleting, the object is deleted from the memory [col. 16, lines 1 6 of Germscheid].
- 22. As to claims 30 and 31, they are rejected for the same reasons as claims 8 and 9 above.
- 23. As to claims 32 34, these are system claims that correspond to method claims 10 12; note the rejections to claims 10 12 above, which also meet these system claims.
- 24. As to claim 40, this is rejected for the same reasons as claim 28 above.

Art Unit: 2194

25. As to claims 41 and 42, they are rejected for the same reasons as claims 8 and 9 above.

- 26. As to claim 43, this is a product claim that corresponds to method claim 1; note the rejection to claim 1 above, which also meet this product claim.
- 27. As to claim 45, this is rejected for the same reason as claim 7 above.
- 28. As to claim 46, this is rejected for the same reasons as claims 8 and 9 above.
- 29. As to claims 47 49, these are product claims that correspond to method claims 10 12; note the rejections to claims 10 12 above, which also meet these product claims.
- 30. As to claims 51 and 52, these are rejected for the same reasons as claims 16 18 above.
- 31. As to claim 53, Erickson as modified teaches the data representation language is eXtensible Markup Language (XML) [col. 25, lines 57-67 of Erickson] and the computer programming language is the Java programming language [col. 26, lines 1-16 of Erickson].
- 32. Claims 3-5, 13-15, 24-26, 35-39 and 50 are rejected under 35 U.S.C. 103(a) as being unpatentable over Erickson and Germscheid in view of U.S. Patent No. 5,774,551 to Wu [cited in previous office action].
- 33. As to claim 3, Erickson as modified does not teach accessing a client device by coupling an identification device to the client and terminating access by decoupling the identification device from the client device.

Application/Control Number: 09/663,665

Art Unit: 2194

However, Wu teaches accessing a client device comprises the user coupling an identification device to the client device [authentication services 109 may include password or encrypted key based mechanisms such as...hardware/firmware based mechanisms, such as smart-card; col. 15, lines 54 – 65], wherein the identification device provides identification information of the user to the client device [the encrypted authentication tokens may be stored in a smart card, or other non-public storage facility; col. 10, lines 37 – 65], and wherein the termination the accessing comprises decoupling the identification device from the client device [system entry service 107 initiates a disconnect process, and handles the necessary physical disconnection and protocols for disconnecting from the system 100, Fig. 5; col. 19, line 57 – col. 20, line 9].

Page 8

- 34. It would have been obvious to a person of ordinarily skilled in the art at the time of the invention to apply the teaching of accessing a client device by coupling an identification device to the client and terminating access by decoupling the identification device from the client device as taught by Wu to the invention of Erickson as modified because this allows any system entry service to be used transparently with any combination of account, password, session, or authentication services, including multiple instances of a given type of account management service and provides supports for unified login and logout with multiple authentication services [col. 6, lines 15 26 of Wu].
- 35. As to claim 4, Erickson as modified teaches the identification device is a smart card [the encrypted authentication tokens may be stored in a smart card, or other non-public storage facility; col. 10, lines 37 65 of Wu].
- 36. As to claim 5, Erickson as modified teaches the accessing a client device comprises the user logging on to the client device [Unified login is accomplished through a authentication token mapping process; col. 3, lines 55 67 of Wu] by providing user identification to the client device [the encrypted authentication tokens may be stored in a smart card, or other non-public storage facility; col. 10, lines 37 65 of Wu], and wherein the terminating the accessing comprises the user logging off the

Art Unit: 2194

client device [user logouts 501 of the system entry service 107, either explicitly by invoking a specific method of the system entry service 107, or implicitly by shutting off the workstation or terminal the user is working on; col. 19, line 57 – col. 20, line 9 of Wu].

- 37. As to claims 13 15, they are rejected for the same reasons as claims 3 5 above. As to the motivation for combining Erickson and Germscheid with Wu, see the rejection to claim 3 above.
- 38. As to claims 24 and 25, these are apparatus claims that correspond to method claims 3 and 4; note the rejections to claims 3 and 4 above, which also meet these apparatus claims. As to the motivation for combining Erickson and Germscheid with Wu, see the rejection to claim 3 above.
- 39. As to claim 26, Erickson as modified teaches the device is further configured to accept user input [col. 4, lines 41 54 of Germscheid] to initiate the terminating the user access [unified logout process ensures that the user's authentication token and credentials are removed; col. 19, line 57 col. 20, line 8 of Wu]. As to the motivation for combining Erickson and Germscheid with Wu, see the rejection to claim 3 above.
- 40. As to claims 35 and 36, these are system claims that correspond to method claims 13 and 14; note the rejections to claims 13 and 14 above, which also meet these system claims. As to the motivation for combining Erickson and Germscheid with Wu, see the rejection to claim 3 above.
- 41. As to claim 37, Erickson as modified teaches a memory [col. 26, lines 58 67 of Erickson], accept user input [col. 4, lines 41 54 of Germscheid] to terminate the access of the client device [col. 19, line 57 col. 20, line 8 of Wu], and store the computer programming language object to the memory in response to the terminating access [col. 26, lines 21 30 of Erickson].

Art Unit: 2194

42. As to claims 38 and 39, they are rejected for the same reasons as claims 17 and 18 above.

43. As to claim 50, this is a product claim that correspond to method claim 13; note the rejection to claim 13 above, which also meet these product claims. As to the motivation for combining Erickson and Germscheid with Wu, see the rejection to claim 3 above.

Response to Arguments

- 44. Applicant's arguments filed 02/06/2006 have been fully considered but they are not persuasive.
- (1) Erickson in view of Germscheid fails to teach or suggest the client device receiving a message in the data representation language from a service device wherein the message includes the data representation language representation of the object [p. 16, lines 10-25 and p. 19, lines 11-26];
- (2) Erickson teaches that his wrapper builder and wrapper execution applications load wrappers using serialization locally from disk [p. 17, lines 1-12; p. 19, line 26-p. 20, line 10];
- (3) Erickson is not concerned at all with security or preventing unauthorized access, Germscheid does not provide any motivation to modify Erickson's system [p. 18, lines 1-9];
- (4) Erickson teaches away from the examiner's proposed combination because Erickson discloses that his wrapper serialization component should persist for subsequent use [p. 18, lines 1-19];
- (5) The combination of Erickson and Germscheid would only result in the deleting security session objects because Erickson's wrapper components are not security session objects [p. 18, line 19 p. 19, line 3 and p. 20, line 23 p. 21, line 5];
- (6) Germscheid fails to teach or suggest anything regarding including accessing information for a computer programming language object in a message that also include

Art Unit: 2194

a data representation language representation of the computer programming language object [p. 22, line 6- p. 23, line 2];

- (7) The combination of Erickson, Germscheid and Wu fails to teach or suggest storing the computer programming language object in response to the user termination accessing the client device [p. 23, line 6 p. 24, line 2]; and
- (8) The combination of Erickson, Germscheid and Wu fails to teach or suggest storing access rights information of the user with the object [p. 24, line 6 p. 25, line 2].

In response to argument (1), examiner respectfully disagrees and notes that the wrapper file of Erickson corresponds to the message [see rejection to claim 1 above]. Erickson discloses reading a wrapper file [col. 26, lines 21-30] and the wrapper file contains XML data that is an object representation of a wrapper [col. 26, lines 15-21]. As to a client receiving a wrapper file, Erickson discloses a wrapper serialization component for storage and retrieval of wrappers using the Object Serialization process [col. 25, line 57 – col. 26, line 3]. Object Serialization supports the encoding of object into a stream of bytes and serialization is used for communication via Remote Method Invocation (RMI) [col. 26, lines 3-15]. Therefore, Erickson clearly discloses and suggests the ability to send and receive wrapper files over a network using the wrapper serialization component through the process of Object Serialization. As to argument (2), examiner disagrees and submits that Erickson's wrapper serialization component is capable of reading wrapper files from both local and remote locations. The wrapper serialization component operates in a similar way as applicant's invention. For example, applicant discloses using method gates in a distributed computing environment to allows remote Java objects to behave as local Java objects and method invocation and results may appear the same to the client whether the real object is local or remote [p. 54, lines 15-21].

As to argument (3), examiner respectfully disagrees and submits that Erickson disclose security and preventing unauthorized access by encoding objects to protect private and transient data [col. 26, lines 10 – 15]. Since Erickson discloses desire to protect private and transient data of an object, it would have been obvious to combine

Art Unit: 2194

Erickson' invention with Germscheid in order to prevent unauthorized access to the object.

In response to arguments (4) and (7), examiner respectfully disagrees because Erickson discloses storing and retrieving a wrapper file [col. 20, lines 22-48]. When the wrapper file is read from storage a copy of the wrapper file would be created [read the serialized wrapper, reproduce the wrapper; col. 26, lines 20-30, emphasis added]. It would be obvious to delete the copy of the wrapper file when the client is finished with the temporary copy of the wrapper file. The combination of Erickson and Germscheid teach deleting an object and storing an object in response to termination, which is what the applicant claim in separate dependent claims [i.e. claims 7 and 16]. Applicant chooses to claim the features separately and argue against the individual reference that does not claim the separated features. In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986). The combination of Erickson and Germscheid teaches deleting an object and storing an object in response to termination.

As to argument (5), examiner respectfully disagrees and notes that the security session objects of Germscheid corresponds to the wrapper objects of Erickson because both objects provides access to a network resource [i.e. col. 27, lines 52-60 of Erickson and col. 9, lines 22-30 of Germscheid].

As to arguments (6) and (8), examiner respectfully disagrees and submits that the recited limitation "accessing information" is broad enough to correspond to the security profiles of Germscheid. The service levels as defined by security profiles regulate access to a resource [i.e. col. 7, line 60-col. 8, line 20 of Germscheid].

CONTACT INFORMATION

45. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Li B. Zhen whose telephone number is (571) 272-3768. The examiner can normally be reached on Mon - Fri, 8:30am - 5pm.

Art Unit: 2194

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Thomson can be reached on 571-272-3718. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Li B. Zhen Examiner Art Unit 2194

lbz

SUPERVISORY PATENT EXAMINER